

Abstract Book
XIV Lipid Meeting Leipzig

LEIPZIG, GERMANY
DECEMBER 5-7, 2003

VERANSTALTER / PROGRAM COMMITTEE

Leitung / Conference Chair:

Prof. Dr. Joachim Thiery

Prof. Dr. Volker Richter

Institut für Laboratoriumsmedizin,
Klinische Chemie und Molekulare Diagnostik
Universitätsklinikum Leipzig AöR

Institute of Laboratory Medicine,
Clinical Chemistry and Molecular Diagnostics
University Hospital Leipzig

Liebigstraße 27 · 04103 Leipzig – Germany
Telefon: +49 (341) 97 222 54 · Fax: +49 (341) 97 222 09
e-mail: katja.duczek@medizin.uni-leipzig.de
Internet: www.uni-leipzig.de/ILM

GEMEINSAM MIT / WITH

Scientific Advisory Board, University of Leipzig

H. Achenbach

T. Arendt

K. Arnold

F. Deckert

F. Emmrich

R. Gebhardt

R. Hambrecht

J. Hauss

W. Kiess

B. Klötzer

T. Kuntze

F.-W. Mohr

R. Paschke

D. Pfeiffer

A. Reichenbach

J. Schauer

G. Schuler

J. Schwartz

A. Wagner

	DECEMBER 6, 2003		DECEMBER 7, 2003	
9:00	8:45–10:05 Uhr Plenary session 1 (Room A) Lipid metabolism, obesity and adipocytokines		9:00–10:00 Uhr Poster discussion	
10:00	MSD Fellowship Award/ MSD-Stipendium Diabetologie		10:00–11:00 Uhr Plenary session 3 (Room A) Lipoprotein receptors and Signalling	
11:00	10:40–12:10 Uhr Plenary session 2 (Room A) Genetics of atherosclerosis and coronary risk factors		11:15–13:00 Uhr WS 5 (Room A) Oxidative stress and cardiovascular risk	11:15–13:00 Uhr WS 6 (Room B) Inflammation and pleiotropic effects of lipid lowering therapy
12:00				
13:00				
14:00	13:30–15:10 Uhr WS 1 (Room A) Advances in the regulation of cholesterol efflux mechanisms and HDL metabolism	13:30–15:10 Uhr WS 2 (Room B) Diabetes mellitus and cardiovascular risk		
15:00				
16:00	15:30–18:10 Uhr WS 3 (Room A) New genetic and analytic tools in lipid and cardio- vascular research	15:30–18:10 Uhr WS 4 (Room B) Nutrition and Life style – Changes in the prevention of atherosclerosis		
17:00				
18:00				

**PLENARY SESSION 1 | LIPID METABOLISM,
OBESITY AND ADIPOCYTOKINES**

Mantzoros C (Boston)

Adipocyte secreted molecules regulating cardiovascular risk factors and metabolism.
New advances. 16

Stumvoll M (Tübingen)

Adiponectin and resistin – relevance in humans 18

Blüher M (Leipzig)

Role of visceral adipose tissue as a risk factor of the metabolic syndrome 19

**PLENARY SESSION 2 | GENETICS OF
ATHEROSCLEROSIS AND CORONARY RISK FACTORS**

Teupser D, Tan M, Breslow JL (New York)

Loci of atherosclerosis susceptibility in LDL-receptor deficient (LDR-/-) mice, revealed by quantitative trait locus analysis between inbred mouse strains C57BL/6 and FVB/N 20

Korstanje R, Wang X, Lyons M, Li R, Churchill G, Svenson K, Paigen B (Bar Harbour)

From QTL to gene. How are we going to find the genes involved in HDL cholesterol levels? 21

**WORKSHOP 1 | ADVANCES IN THE REGULATION
OF CHOLESTEROL EFFLUX MECHANISMS AND HDL
METABOLISM**

Stein O, Dabach Y, Halperin G, Stein Y (Jerusalem)

Regulation of cholesterol efflux in vivo 22

von Eckardstein A (Zürich)

Testosterone and cardiovascular diseases 23

Merkel M, Loeffler B, Kayser D, Rubin EM, Pennacchio LA, Heeren J (Hamburg)
 Apo A5 decreases plasma triglycerides by accelerating plasma hydrolysis and organ uptake of triglyceride rich particles 24

Soufi M, Sattler AM, Rafat M, Herzum M, Maisch B, Schaefer JR (Marburg)
 Increased frequency of the apolipoprotein A5 polymorphism S19w (ApoA5 S19W) in subjects with hypertriglyceridemia 26

Heeren J, Grewal T, Laatsch A, Beisiegel U (Hamburg)
 HDL metabolism is linked to impaired recycling of apolipoprotein E-4 27

WORKSHOP 2 | DIABETES MELLITUS AND CARDIOVASCULAR RISK

Krebs A, Krebs K, Schmidt-Trucksäss A, Hallermann K, Kannan CV, Sutor AH, März W, Schwab KO (Freiburg)
 Premature atherosclerosis in children and adolescents with Type 1 Diabetes 28

Winkler K, Krane V, Ruf G, Abletshauer C, Friedrich I, Wieland H, Ritz E, Wanner C (Würzburg)
 Risk factors for coronary artery diseases in Type 2 Diabetes: LDL quality may be of higher significance than LDL quantity 29

Julius U, Kirschner E, Pietzsch J (Dresden)
 Intravasal lipid transfer in impaired glucose tolerance (IGT): Role of the cholesterol ester transfer protein (CETP) 30

Rafat M, Sattler A, Hackler R, Soufi M, Steinmetz A, Maisch B, Schaefer JR (Marburg)
 Human apolipoprotein A-IV plasma levels in fed and fasting state 31

**WORKSHOP 3 | NEW GENETIC AND ANALYTIC TOOLS
IN LIPID AND CARDIOVASCULAR RESEARCH****Teupser D, Persky AD,
Breslow JL (New York)**

Induction of atherosclerosis at the aortic root,
brachiocephalic artery and whole aorta (en face
measurement) by low fat semisynthetic diets in
LDL-receptor deficient C57BL/6 and FVB/N mice 32

Sehayek E (New York)

Mouse and human genetics of plasma plant
sterol levels 33

Burkhardt R, Teupser D, Wilfert W, Thierry J (Leipzig)

Suppression Subtractive Hybridization reveals
elevated macrophage arginase I activity in rabbits
with low atherosclerotic response (LAR) 34

Al-Kateb H, Bautz E, Luft FC,**Bähring S (Heidelberg)**

A splice mutation in a Syrian Autosomal
Recessive Hypercholesterolemia family causes
a two nucleotide deletion of mRNA 35

**Schambeck CM, Berger M, Kulle B, Lindner T,
Schmidt H, Bickeböller H, Walter U (Würzburg)**

Genetic background of high factor VIII levels in
venous thromboembolism 36

**Bellosta S, Monetti M, Canavesi M, Camera M,
Bonzi R, Comparato C, Paoletti R, Tremoli E,
Corsini A (Milano)**

Anti-atherothrombotic properties of Rosuvastatin
in Apo-E-deficient mice 37

Zschörnig O, Süß R, Schiller J, Arnold K (Leipzig)

Determination of triacylglycerols, cholesterol esters
and phospholipids in lipoproteins by MALDI-TOF
mass spectrometry 38

Korff S, Aherrahrou Z, Axtner SB, Kaczmarek PM, Jurat A, Doebling LC, Weichenhan D, Katus HA, Ivandic BT (Heidelberg)

A locus on chromosome 7 determines dramatic upregulation of osteopontin in dystrophic cardiac calcification in mice 39

Scobioala S, Klocke R, Michel G, Nikol S (Münster)

Identification of proteins differentially expressed in normal and experimentally infarcted mouse myocardium 40

WORKSHOP 4 | NUTRITION AND LIFE STYLE – CHANGES IN THE PREVENTION OF ATHEROSCLEROSIS

Englert HS, Diehl HA, Greenlaw GL (Berlin)

Community based coronary risk reduction 41

Luedemann J, Schminke U, Berger K, Döring A, John U, Kessler C, Nauck M (Greifswald)

Association between asymptomatic carotid atherosclerosis and behavior dependent vascular risk factors and in a general population 42

Szamosi T (Budapest)

Role of antioxidants in the care of pediatric patients with symptoms of metabolic syndrome 43

Naruszewicz M, Daniewski M, Nowicka G, Bukowska H, Fyllipek A (Scezin)

High intake of acrylamide from potatoe chips may increase risk of co-ronary artery disease. Effect on plasma levels of CRP and homocysteine 44

Wirsam B, Meyer-Kleine C, Bitterlich N, Leitzmann C (Giessen)

The influence of some food components on blood lipid concentrations seems to depend in a complex manner strongly on apolipoprotein E genotype 45

Taneva E, Kästner S, Westphal S, Dierkes J, Luley C (Magdeburg)
 Endothelial function: acute impact of meal components 46

PLENARY SESSION 3 | LIPOPROTEIN RECEPTORS AND SIGNALLING

Herz J (Dallas)
 Signalling by lipoprotein receptors in the nervous system 47

WORKSHOP 5 | OXIDATIVE STRESS AND CARDIOVASCULAR RISK

Lackner KJ, Blankenberg S, Rupprecht HJ, Bickel C, Torzewski M, Tiret L, Smieja M, Cambien F, Meyer J (Mainz)
 Glutathione peroxidase-1 activity and cardiovascular events in patients with known coronary artery disease 48

Kontush A, Nobécourt E, Chantepie S, Jacqueminet S, Grimaldi A, Chapman MJ (Paris)
 Antioxidative and anti-inflammatory activities of HDL particle subspecies: Relevance to atherosclerosis and cardiovascular risk 49

Malle E, Sattler W, Marsche G (Graz)
 Class B scavenger receptors CD36 and SR-BI are receptors for hypochlorite-modified low density lipoprotein 51

Schimke I (Berlin)
 From coronary heart disease to heart failure. The multiplication of oxidative stress. 52

Herrmann W, Obeid R, Schorr H (Homburg)
 Homocysteine, Methylenetetrahydrofolate Reductase C677T Polymorphism and the B-Vitamins. A Facet of Nature Nurture Interplay 53

**Denisenko AD, Dizhe ED, Tcherkas YV,
Petrova NG (St. Petersburg)**
Atherogenic effects of hyperhomocysteinemia 54

**WORKSHOP 6 | INFLAMMATION AND PLEIOTROPIC
EFFECTS OF LIPID LOWERING THERAPY**

**Hessabi B, Hessabi C, Scharf C, Kroemer HK,
Völker U (Greifswald)**
A proteomic perspective of the pleiotropic effects
of HMG-CoA reductase inhibitors 55

Fraunberger P, Walli AK, Seidel D (München)
Role of hypocholesterolemia in acute inflammatory
disease 56

**Kreuzer J, Bechtel S, Berbig C, Mentz S,
Hadziselimovic S, Bärtsch P, Dugi KA (Heidelberg)**
Treatment with a statin alone is equally
effective as maximal lifestyle modification
in combination with a statin 57

Mathes P (München)
Cholesterin: Serumwerte oder Gesamtrisiko
als Entscheidungshilfe für medikamentöse
Prophylaxe? 58

**Völler H, Bestehorn K, Wegscheider K
(Rüdersdorf)**
Guideline based therapy of lipids in cardiac
rehabilitation 59

POSTER SESSION 1

Nikic P, Savic M, Zaric N, Djuric D (Belgrad)
Intima-media thickness of common carotid artery
and subtypes of ischemic cerebral disease 60

<u>Bohlen F, Seidel B, Müller M, Leonhardt M, Böttner A, Thiery J, Kratzsch J (Leipzig)</u> Leptin inhibits cell growth of human aortic smooth muscle cells	61
<u>Juárez-Meavepeña MB, Carreón-Torres JE, Pérez-Méndez O (Mexiko City)</u> Effect of the pioglitazona on the high-density lipoprotein (HDL) metabolism	62
<u>Torkhovskaya I, Ipatova O, Medvedeva N, Karuzina I, Tikhonova E, Khalilov E, Zakharova T, Storozhakov G, Archakov AI (Moskau)</u> Phospholipid drugs of new generation: Treatment of liver and blood vessel diseases	63
<u>Rellin L, Behrendt B, Beisiegel U (Hamburg)</u> Lipid metabolism in the neuronal system	66
<u>Kühnl A, Fuchs A, Pelisek J, Nikol S (Münster)</u> Local liposome-mediated gene transfer of C-type natriuretic peptide reduces lumen renarrowing and medial thickening in PTA treated porcine renal arteries	67
<u>Tcherkas YV, Denisenko AD (St. Petersburg)</u> Hyperhomocysteinemia as independent risk factor IHD	68
<u>Rassoul F, Schachtschabel D, Richter V (Leipzig)</u> Ageing and vascular adhesion molecules	69
<u>Kerner A, Rassoul F, Thiery J, Richter V (Leipzig)</u> Prevalence of cardiovascular risk in students	70

POSTER SESSION 2

<u>Kirsten H, Hofmann K, Wolfram G, Ahnert P</u> SNP Selection and Assay Design for a Candidate Gene Genotype-Phenotype Association Study	71
---	----

Kretzschmar D, Teupser D, Haffner I, Wilfert W, Heino N, Jeromin F, Naumann R, Thiery J (Leipzig) Effects of LXR- α transfection on ABCA-1 expression in murine macrophages and generation of LXR- α transgenic mice	72
Wilde J, Teupser D, Burkardt R, Haffner I, Wilfert W, Stein O, Stein Y, Thiery J (Leipzig) Development of transgenic mouse models overexpressing human arginase I	73
Tennert C, Teupser D, Müller M, Wilfert W, Jeromin F, Heino N, Döring C, Thiery J (Leipzig) Transgenic mice with macrophage specific expression of human scavenger receptor-A-II and human apolipoprotein E	74
Aherrahrou Z, Kaczmarek PM, Döhring LC, Weichenhan D, Korff S, Ivandic BT (Heidelberg) Neue genetische Mausmodelle für kardio-vaskuläre Verkalkungen	75
Siegert G, Pfeiffer D, Tiebel T (Dresden) Vitronectin (VN) inhibits activated protein C (APC) in platelet poor-(PPP) but not platelet rich (PRP) plasma	76
Evans D, Buchwald A, Beil FU (Hamburg) The -1131T> C polymorphism in apolipoprotein A5 (APOA5) is associated with elevated plasma triglycerides only in overweight patients	77
Siegert G, Gehrlich S, Kuhlisch E, Temelkowa-Kurktschiev T, Schellong SM, Kostka H (Dresden) Coagulation factor V G allele and HR2 haplo-type: factor V activity, activated protein C (APC) resistance and risk of venous thrombosis	78
Eschrich K, Kostrzewa M (Leipzig) High-throughput MALDI-TOF mass spectrometry based methods for the determination of SNPs relevant for obesity	79

<u>Elssner T, Fahr K, Peters D, Thomas I, Richter S, Kostrzewa M (Leipzig)</u> CLINPROT: Magnetic bead based profiling approach towards diagnostics and risk prediction	80
<u>Fahr K, Elssner T, Koch S, Thomas I, Richter S, Peters D, Wenzel T, Kostrzewa M (Leipzig)</u> MALDI-TOF MS based SNP genotyping in clinical diagnostics for determination of risk factors for coronary atherosclerosis and lipoprotein disorders	81
<u>Lembcke J, Ceglarek U, Thiery J (Leipzig)</u> A novel method for the measurement of phyto- sterol and cholesterol precursor concentrations using atmospheric pressure photo ionisation-liquid chromatography-tandem mass spectrometry (APPI-LC-MS/MS)	82
POSTER SESSION 3	
<u>Wang Y, Hasbargen U, Blessing F, Seidel D, Walli AK (München)</u> Potential of heparin-mediated extracorporeal low density lipoprotein precipitation as a new therapeutic approach in preeclampsia	84
<u>Westphal S, Wiens L, Güttler K, Dierkes J, Luley C (Magdeburg)</u> Chylomicron remnants of various sizes are lowered more effectively by fenofibrate than by atorvastatin in patients with combined hyperlipidemia	85
<u>Sattler AM, Kölsch S, Rafat M, Portig I, Soufi M, Maisch B, Klaus G, Schaefer JR (Marburg)</u> Effects of single LDL-apheresis on endothelial function in homozygous FH	86
<u>Pütz G, Eckes J, Wieland H (Freiburg)</u> Elimination of liposomes by apheresis-techniques	87

<u>Kästner S, Taneva E, Westphal S, Dierkes J, Luley C (Magdeburg)</u> Impact of casein in a mixed meal on postprandial lipid and carbohydrate metabolism	88
<u>Heinz J, Dierkes J, Domröse U, Neumann KH, Luley C (Magdeburg)</u> Influence of a supplementation with vitamins on morbidity and mortality of ESRD patients – a multi-center randomly designed double blinded intervention trial; PRISMAVIT – Prospective Intervention Study from Magdeburg with Vitamins	89
<u>Lehmann P, Boersma-Cobbaert C, Herrmann W, Lindemans J, Nauck M, Sprenger H, Riesen WF, Klima H (Mannheim)</u> HDL-C Plus 2 nd Generation and LDL-C Plus 2 nd Generation. Traceability to CDC Reference Methods	90
<u>Ger mann I, Kelber O, Weiser D, Heinle H (Tübingen)</u> Radical scavenging properties of herbal extracts	91
<u>Amraei-Davijani F, Schauf B, Heinle H (Tübingen)</u> Oxidative stress in preeclampsia: Determination of MDA, nitrate/nitrite and total free radical trapping potential in plasma	92
POSTER SESSION 4	
<u>Zschörnig O, Krautschick I, Rassoul F, Schiller J, Gebhardt R, Arnold K (Leipzig)</u> Flavonoid mediated inhibition of oxidative modification of human low density lipoproteins by hypochlorite	93
<u>Purschwitz K, Richter V, Rassoul F, Purschwitz R, Jentsch H, Zunft HJF, Leitzmann C (Leipzig)</u> Wholesome nutrition study: Effects of diet modification on cardiovascular risk	94

<u>Machowetz A, Gründel S, Koebnick C, Zunft HJF (Potsdam-Rehbrücke)</u> Integration of olive oil into the food pattern of German males as a putative strategy to lower the cardiovascular risk: Consumer attitudes	95
<u>Gründel S, Machowetz A, Koebnick C, Rassoul F, Richter V, Zunft HJF (Potsdam-Rehbrücke)</u> Integration of olive oil into the food pattern of German males as a putative strategy to lower the cardiovascular risk: Preliminary results from a dietary intervention	97
<u>Koebnick C, Reimann M, Carlsohn A, Zunft HJF, O'Doherty-Jensen K (Potsdam-Rehbrücke)</u> Consumer perspectives in isoflavones for the management of cardio-vascular risk factors in postmenopausal women	99
<u>Purschwitz R, Jahn N, Purschwitz K, Richter R, Merte K (Leipzig)</u> Oral health and vegetarian diet	101
<u>Englert HS, Wirsam B, Richter V, Leitzmann C (Berlin)</u> Influence of lifestyle intervention on the dynamic of lipid changes depending on apolipoprotein E geno-type	102
<u>Leichtle A, Teupser D, Burkhardt R, Fiedler GM, Thiery J (Leipzig)</u> Cytokine independent reduction of hs-CRP in CHD-patients supplemented with α -tocopherol	103
<u>Krautschick I, Frauck U, Zschörnig O, Rassoul F, Gebhardt R (Leipzig)</u> antioxidative effects of luteolin and artichoke leave extract	104
<u>Zschörnig O, Thomas L, Arnold K (Leipzig)</u> Cation mediated interaction of dextran sulfate with human lipoproteins detected by isothermal titration calorimetry	105
Index der Autoren	106